



TURNADO scrubber driers

# TURNADO 38

The TURNADO 38 has the ideal dimensions for rooms containing hard-to-reach areas. Thanks to its slim design, it also masters its cleaning tasks superbly on narrower or overlapping surfaces. This also makes the TURNADO 38 extremely manoeuvrable in combination with its 38-cm-wide disc brush. Furthermore, this machine exploits some advantages of larger scrubber driers: fresh water is applied for every centimetre of cleaning, the floor is cleaned with the same high brush pressure and the dirty water is extracted directly. The theoretical area output of the TURNADO 38 is approx. 1,200 m<sup>2</sup>/hour and with the connection to the VERMOP ONE software solution, you also have an overview of when the machine is achieving this level of performance.



## AREAS OF APPLICATION

- Ideal for small areas such as: shops, sales rooms, kitchens, etc.
- Narrow storage areas and aisles
- Entrance areas
- Changing rooms and restroom facilities

## YOUR ADVANTAGES

- Uniformly high brush pressure
- Outstanding manoeuvrability and flexibility due to compact dimensions
- Simple operation and handling
- Floors can be walked on immediately after cleaning due to direct waste-water extraction (Cleaning possible during business operations)
- On request also digitally networked





## TECHNICAL DATA

### MACHINE DIMENSIONS

- Working width of brushes  
**380 mm**
- Working width vacuum barn  
**460 mm**
- Total length  
**850 mm**
- Total height  
**1030 mm**
- Clearance width  
**500 mm**
- Ground clearance  
**630 mm**
- Tank volume fresh water  
**15 l**
- Tank volume dirty water  
**23 l**
- Dead weight (including battery)  
**77 kg**

### WORK PERFORMANCE

- Theoretical cleaning rate  
**1200 m<sup>2</sup>/h**
- Brush contact pressure  
**2,7 N/cm<sup>2</sup>**
- Noise level  
**71 dB**

### ENGINE PERFORMANCE

- Brush motor  
**250 W**
- Vacuum motor  
**300 W**

### BATTERY

- Type  
**gel battery maintenance free**
- Voltage  
**24V**
- Capacity  
**25Ah**
- Working time per battery charge  
**max 1 h**

# TURNADO 55 PRO

Our patented series of TURNADO 55 scrubber driers significantly reduces the required cleaning time. The scrubbing suction head of the TURNADO 55 machines, which can be rotated by up to 360°, ensures that even hard-to-reach areas can be cleaned by machine, making manual reworking unnecessary. The TURNADO 55 series is available in three different versions. As the PRO model, the TURNADO 55 is equipped with an aluminium tank with membrane wall and thus holds 50 l of water, which is available for cleaning. The powerful TURNADO 55 machines are the all-rounders among our scrubber driers and can be used in almost all areas. The high-quality stainless steel chassis also comes with a 10-year warranty. Thanks to the software solution VERMOP ONE, the TURNADO 55 can be networked and is thus fully at home in the Internet of Things (IoT).



## AREAS OF APPLICATION

- Can be used for almost any application: shops, salesrooms, storage and work halls, workshops, etc.
- Narrow storage areas and aisles

## YOUR ADVANTAGES

- On request also digitally networked
- 360° rotatable scrubbing suction head (enormous manoeuvrability and flexibility thanks to patented TURNADO® technology)
- Longer usage times due to larger tank volume (for the PRO)
- Easy to use
- Extreme manoeuvrability due to compact design



The TURNADO 55 series will soon be available in the two other variants TURNADO 55 (with plastic tank) and TURNADO 55 SV (swimming pool version, also with plastic tank) in VERMOP design.



## TECHNICAL DATA TURNADO 55 PRO

### MACHINE DIMENSIONS

- Working width of brushes  
**550 mm**
- Working width vacuum barn  
**680 mm**
- Total length  
**920 mm**
- Total height  
**1150 mm**
- Clearance width  
**670 mm**
- Tank volume for fresh- and dirty water  
**50 l (membrane tank)**
- Dead weight (including battery)  
**178 kg**

### WORK PERFORMANCE

- Theoretical cleaning rate  
**2475 m<sup>2</sup>/h**
- Brush contact pressure  
**2,2 N/cm<sup>2</sup>**
- Noise level  
**75 dB**

### ENGINE PERFORMANCE

- Brush motor  
**2x 190 W**
- Vacuum motor  
**500 W**

### BATTERY

- Type  
**gel battery maintenance free**
- Voltage  
**24V**
- Capacity  
**105Ah**
- Working time per battery charge  
**max 2,5 h**

## VERMOP – A STRONG PARTNER BY YOUR SIDE

VERMOP is one of the leading international manufacturers of products, systems and solutions for professional cleaning. Our traditional company can look back on over 95 years of experience. The VERMOP headquarter is located in Gilching near Munich.

Our corporate commitment to quality has been certified in accordance with ISO 9001 for 20 years, and we demonstrated our commitment to environmental issues when we received the ISO 14001 certification eight years ago. Simply closer: we provide a personal service which is available to you throughout Europe. Our sales representatives will provide onsite, professional and customer-oriented advice at any time.

## SUSTAINABILITY

Conserve valuable resources with VERMOP

### — Lasting flexible use

Replacement of components for altered premises requirements or change of premises

### — Long service life

The use of high-quality materials

### — Availability of spare parts

Guaranteed available for at least five years



### MORE INFORMATION:

On our website [www.vermop.com](http://www.vermop.com) you will find all the important information about our compact VERMOP TURNADO scrubber driers.

**VERMOP** GmbH  
Zweigniederlassung Wertheim  
Hafenstraße 16  
97877 Wertheim  
GERMANY

Tel. + 49 9342 878-0  
Fax + 49 9342 878-173  
[info@vermop.de](mailto:info@vermop.de)  
[www.vermop.com](http://www.vermop.com)

21.08.23 English  
Art. No.: 19943123EN

We reserve the right to make technical changes and changes in content. No liability shall be assumed for errors or omissions.

The general terms and conditions of sale of VERMOP GmbH apply.  
Updated: August 2023