

The LIQUID product range









QR code to increase safety at work

Simply scan the QR code and download the EU safety data sheet.





Waste reduction

Reduction in the volume of waste by around 80% thanks to folding refillable bag.

POWERFUL PRODUCTS

When developing our VERMOP liquids, we took into account both the most cutting-edge cleaning technologies and the latest environmental considerations.



Simply, logical dosing

Innovative dosing insert for the VERMOP 1-litre bottle; tip the bottle up once to measure out 10 ml; for moderate or heavy soiling, simply tip the bottle up two or three times.









$10 - 30 \, \text{ml} / 4 \, \text{L}$

Clear labelling

Simple, understandable presentation of the areas of application, how to use the product and the dose using clear pictograms

Safe use

The triangular VERMOP bottle fits comfortably in your hand and offers a secure grip, even with wet gloves.







YOUR ADVANTAGES

- Active ingredients from renewable raw materials
- __ Awarded the EU Ecolabel
- Non-toxic product line for maintenance cleaning
- Very good cleaning performance while also very gentle on materials

VERMOP NATURAL PRODUCTS



The VERMOP ECO products are our line of cleaners that have been developed based on renewable raw materials. It combines sustainability, effectiveness and biodegradability, thus helping to implement your ecological business concept.

Our VERMOP Nature products are part of a closed cycle, which starts and ends with an intact environment. As a result, we have used active ingredients from renewable raw materials to develop highly effective cleaners, which we manufacture in Germany. We advise you on the environmentally responsible use of our products for daily cleaning. At the end, the products biodegrade easily, thus closing the cycle.

VERMOTOP ECO

- Coconut oils are pressed from coconuts and processed into surfactants
- To remove different types of soiling

VERMOUNI ECO

- With alcohol made from wheat
- Wheat grains are ground, broken down by enzymes under heat and fermented
- To remove grease



VERMOSAN ECO

- With citric acid, one of the most widespread plant acids
- Plant-based raw materials are mixed with active microorganisms and citric acid is formed via precipitation
- To remove mineral deposits, such as limescale



Please check at www.vermopdirect.com which products are currently released for sale in your country.



































pH value	< 0.5	0.5	0.5	2.2	2.5	6	6.5	6.7	7	7.2	7.2	7.3	7.4	9	9.3	9.7	9.7	12.1	12.8	13	14
Stainless steel		√	√		√	√	✓		✓	√	✓	✓	√						✓	√	
Foilets, urinals	✓	√	√		√																
Washbasins, ceramic		√	√		√																
Plastic, e.g. tabletop				✓		√	√	✓	√	√	√	√	√				√		√		
Aluminium	×	×	×				✓	✓		✓	√	√	√								
Glass, mirror				✓		√	✓	✓		✓	√	√	√								
Acrylic glass				√			×	√	×	×	×	√	√			×	√				
ine stoneware tiles, safety flooring		√	√		√		✓			✓	√	√	√		×	✓		✓	√	√	√
Acid-sensitive stone floors	×	×	×	×	×		√			√	√	√	√	✓		✓		✓	√		
Acid-resistant stone floors and tiles		√	√		√		✓			✓	√	✓	√	√		✓		✓	√	√	
Artificial stone and travertine	×	×	×	×	×		√			✓	√	√	√	√		✓		✓		√	
Epoxy resin coatings							✓			✓	√	√	√			✓	√	√	√	√	√
Designer flooring, vinyl		√			√		✓			✓	√	√	√		√	✓	√			√	
High-maintenance, elastic flooring PVC, linoleum, rubber)										✓	√	√	√	√			√	×	×	×	×
Vooden flooring												√		√							
Textile flooring (short pile)												√	√								
Maintenance cleaning	√	√	√		√	√	√		√	√		√	√	√	√				√		
Deep cleaning	✓		✓	✓				✓	✓							✓	✓		✓	√	√
Comments			HACCP- compliant		: ···		:6:					DIN 18356	Surfactant- free	DIN 18032					HACCP- compliant		
			Compilant		Ecolabel www.ecolabel.eu		Ecolabel www.ecolabel.eu					Surfactant- free	Ecolabel www.ecolabel.eu						Compilant		

Recommended applications correspond to the dosing specifications from the current product information. The information corresponds to our experience and knowledge.

No liability or corresponding claims can be derived from this. Prior to extensive use, always check that the product is compatible with the material to be treated in an inconspicuous place.

unsuitable

✓ suitable

		code	pack. unit
BATHROOM CLEANER	S		
VERMO NERMOP	VermoSan 1 L, bottle 1 L, wide-neck bottle 5 L, canister pH value: 0.5 All-rounder for acid-resistant materials, run-off effect, can be used in different concentrations	1731300412 1731300401 1731300407	12 12 2
EU SENO SAN ECO SAN ECO SAN ECO SENO SAN ECO SENO SENO SENO SENO SENO SENO SENO SEN	VermoSan ECO 1 L, bottle 5 L, canister pH value: 2 Certificate: EU Ecolabel All-rounder for acid-resistant materials, run-off effect, can be used in different concentrations, non-toxic	1731300511 1731300507	12 2
	VermoGel S RTU 500 ml, bottle 5 L, bag pH value: 0.5 Power gel, viscous, ready for use	1731300202 1731300206	12 2
VERNO DEPS	VermoDeep S 1 L, bottle 5 L, bag 10 L, canister pH value: 0.5 Dissolves limescale, dissolves mineral cement residue, for moderate to heavy soiling, can be used in different concentrations	1731509101 1731509106 1731509110	12 2 1
SURFACE AND FLOOR	CLEANERS		
VERMOP-	VermoTop 1 L, bottle 5 L, bag 10 L, canister pH value: 7 Universal cleaner, fast drying, can be used in different concentrations	1731200101 1731200106 1731200110	12 2 1
ECCIADE VERMOP	VermoTop ECO 1 L, bottle 5 L, canister pH value: 7 Certificate: EU Ecolabel Universal cleaner, fast drying, can be used in different concentrations	1731200501 1731200507	12 2



		code	pack. unit
DIN 18356 Surfactant- free, (suitable for wood and parquet flooring)	VermoZero 1 L, bottle 5 L, bag 10 L, canister pH value: 7 Universal cleaner, prevents resoiling, fragrance- and colourant-free	1731809201 1731809206 1731809210	12 2 1
Ecolabel WWW.ecolabel.eu Surfactant-free	VermoUni ECO 1 L, bottle 5 L, canister pH value: 7 Certificate: EU Ecolabel Tenside-free cleaner, no fragrances or colourants, can be used in different concentrations	1731800501 1731800507	12 2
IVERMO LES VERMOR	VermoAlc 1 L (opt. with dosing head) 5 L, canister	1736201301 1736201307	12 2
VERMO INTENSE	VermoIntense 1 L, bottle 5 L, bag pH value: 9.7 For moderate to heavy soiling, universal cleaner, gentle on materials	1731408101 1731408106	12 2
SURFACE CLEANERS	VermoGlass RTU 500 ml, spray bottle 5 L, bag pH value: 7 Ready for use, streak-free	1731202413 1731202406	12 2
Division of the second of the	Vermolnk EX RTU 500 ml, spray bottle pH value: 7 Ready for use, contains solvents, problem-solver	1731840213	12

		code		ack. nit
FLOOR CLEANERS				
DIN 18032 (suitable for sports halls) also for wooden floors	VermoFloor 1 L, bottle 5 L, bag 10 L, canister pH value: 9 Cleans, maintains and protects, fulfils DIN 18032/2, can be used in different concentrations	1731400101 1731400106 1731400110	12 2 1	
VERMO ULTRA	VermoUltra 1 L, bottle 5 L, bag 10 L, canister pH value: 10 Good wetting, streak-free, can be used in different concentrations	1731401401 1731401406 1731401410	12 2 1	
VERMO PINE	VermoFine 1 L, bottle 5 L, bag 10 L, canister pH value: 12 Dissolves ingrained dirt, for moderate to heavy soiling, suitable for microporous surfaces	1731409001 1731409006 1731409010	12 2	

		code	pack. unit
DEEP CLEANING AND	COATING		
Carried Control of the Control of th	VermoUni Deep 10 L, canister pH value: 10 Deep cleaner to remove hard and soft coatings and stubborn water-soluble soiling, exceptional material tolerability.	1736211710	1
Towns Towns Continued to the Continue of the C	VermoShield 10 L, canister pH value: 9 Tested according to DIN18032/2 (non-slip) Suitable for schools, nurseries and sports halls We recommend VermoFloor for the subsequent maintenance cleaning of flooring that is subjected to particular stress (to preserve DIN18032/2), Art. No. 1731400101, 1 L bottle	1734200810	1
Section of the sectio	VermoShield PRO 10 L, canister pH value: 8 Disinfectant-resistant Suitable for healthcare institutions such as hospitals, nursing and care homes and doctors' surgeries We recommend VermoZero for subsequent maintenance cleaning (free from surfactants, colourants and fragrances), Art. No. 1731809201, 1 L bottle	1734200910	1
ODOUR REMOVERS			
	VermoBio RTU 500 ml, bottle with sprayer pH value: 7 Combats odours, ready for use, based on microorganisms	1731913113	12
VERMO BIO	VermoBio 1 L, wide-neck bottle pH value: 7 Combats odours, based on microorganisms	1731913001	12
IVERMO BIO S	VermoBio S 1 L, bottle 10 L, canister pH value: 6 Combats odours, prevents limescale, good wetting	1731916001 1731916010	12

		code	pack. unit
GLASS CLEANERS			
TOWN TO THE PARTY OF THE PARTY	VermoGlass RTU 500 ml, spray bottle 5 L, bag pH value: 7 Ready for use, streak-free	1731202413 1731202406	12 2
Taken and the same	VermoWin 500 ml, bottle 2 L, bag pH value: 7 Even foaming, smooth squeegee action, easy-to-clean effect	1731200202 1731200205	12 2
Town or the state of the state	VermoWin S RTU 500 ml, bottle 2 L, bag pH value: 2 Ready for use, even foaming, dissolves limescale, dissolves mineral cement residue	1731200302 1731200305	12 2

		code	pack. unit
KITCHEN CLEANERS			
HACCP-compliant	VermoGast 1 L, bottle 5 L, bag 10 L, canister pH value: 13 HACCP-compliant, removes greasy and oily stains, removes protein deposits, can be used in different concentrations	1733200101 1733200106 1733200110	12 2 1
HACCP- compliant	VermoDeep S 1 L, bottle 5 L, bag 10 L, canister pH value: 0.5 Dissolves limescale, dissolves mineral cement residue, for moderate to heavy soiling, can be used in different concentrations	1731509101 1731509106 1731509110	12 2 1
INDUSTRIAL CLEANER	RS		
VERMOIP VERMOIP	VermoPower 1 L, bottle 10 L, canister pH value: 13 Powerful dirt removal, removes greasy and oily stains, suitable for post-fire restoration	1731504401 1731504410	12
And the second s	VermoPower + 10 L, canister pH value: 14 Highly alkaline deep cleaner, removes care product residues, for heavy soiling, contains solvents	1731504510	1
VERMON VERMON	VermoFoam Ex 1 L, bottle 5 L, canister pH value: 6.5 Ready-to-use defoamer for cleaning machines	1731800101 1731800107	12
DETERGENT			
DETERGENT	VermoMop		
TRANSPORT	Vermomop 2 L, bag 10 L, canister 20 L, canister pH value: 11 Reduces greying, can be used at all washing temperatures, gentle on fibres	1732300105 1732300110 1732300120	2 1 1

		code	pack. unit
	Outlet tap 10 L, canister	17335001	1
	Dosing head 1 L, wide-neck bottle	17334001	12
Riser of the state	Dosing system ProMax 14I/min ProMax 4I/min Dimensions: 10 x 12 x 22 cm (W x D x H) Flow rate 14 I/min or 4I/min ProMax 14I/min, to fill buckets	17342120 17342130	1
	Dosing system x4 ProMax x4 14 L/min.	17342140	1
NE BAIL!	Compressed air sprayer 1000 ml, yellow 1000 ml, green/transparent	1850305 1850309	1
Overanor	Trigger spray bottle 250 ml, blue 250 ml, red, with foam nozzle Accessories Labels ready-to-use solution, VermoFloor RTU, green Labels ready-to-use solution, VermoTop RTU, blue Labels ready-to-use solution, VermoSan RTU, red Labels ready-to-use solution, VermoZero RTU, green	1850201 1850202 10820F 10820T 10820S 10820Z	5 5 15 15 15

	code	pack. unit
Labels ready-to-use solution VermoFloor RTU, green VermoSan RTU, red VermoZero RTU, green VermoZero RTU, green Dimensions: 6 x 6 cm	10820F 10820T 10820S 10820Z	15 15 15 15
Measuring jug 250 ml 500 ml	18507 18501	1
Water filling aid	18506	1
Warning sign "Slippery Surface" Dimensions: 27.5 x 3.5 x 56.5 cm (W x E	10705 > × H)	6
Warning sign "Distance 1.5 m" Dimensions: 27.5 x 3.5 x 56.5 cm (W x E	10707 D × H)	6
Hanging warning sign Telescopic from 760 mm - 1330 mm	10702	1

VERMOP – A STRONG PARTNER BY YOUR SIDE

VERMOP is an internationally leading manufacturer of products, systems and solutions for professional industrial cleaning. The traditional, owner-operated family business is now managed by the third generation of the family and can look back on over 90 years of experience. The headquarters of VERMOP are located in Gilching near Munich, Germany.

Our company's commitment to quality has been certified according to ISO 9001 for 20 years, while our engagement with environmental concerns has been certified according to ISO 14001 for eight years. Simply closer: Our Service department is on hand to help you in person throughout Europe. Our sales representatives will help you on site at any time with professional and customer-oriented advice.

SUSTAINABILITY

Protect valuable resources with VERMOP

__Environmentally friendly
VERMOP ECO and BIO products with renewable and natural raw materials

Production in Germany
Certified and transparent

__Recyclable

All containers can be recycled after use











VERMOP Salmon GmbH Zweigniederlassung Wertheim Hafenstraße 16 97877 Wertheim GERMANY Tel. + 49 9342 878 0 Fax + 49 9342 878 173

info@vermop.de

www.vermop.com

VERMOP UK Ltd.
Unit 3A, Henley Business Park
Pirbright Road
Normandy Nr, Guildford
GU3 2DX
Tel. + 44 1483 506 162
Fax + 44 1483 506 158
info@vermop.co.uk
www.vermop.com

25.04.22 English Art. No.: 1994916ENEN

We reserve the right to make technical changes and changes in content. No liability shall be assumed for errors or omissions.